



**STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY  
PUNJAB**

Ministry of Environment and Forests, Government of India  
O/O Punjab Pollution Control Board,  
VatavaranBhawan, Nabha Road,  
Patiala – 147 001  
Telefax:- 0175-2215636

**No. SEIAA/688**

**REGISTERED**

**Date: 24.05.2018**

To

M/s. Ambika Realcon Pvt. Ltd.  
SCO 64-65, 2<sup>nd</sup> floor, Sector-17A ,  
Chandigarh-160009

**Subject: Environmental clearance under EIA notification dated 14.09.2006 for establishment of a group housing project namely "Ambika Homes" located at Site No. 2, IT City, Sector 66-Beta, S.A.S. Nagar (Mohali), Punjab by M/s. Ambika Realcon Pvt. Ltd. (Proposal no SIA/PB/NCP/73356/2018)**

This has reference to your online Proposal No. SIA/PB/NCP/73356/2018 submitted to the SEIAA for grant of Environmental Clearance for the above project under EIA notification dated 14.09.2006. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification dated 14.09.2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, 1-A, conceptual plan and the additional clarifications furnished in response to the observations of the SEAC.

**Brief details of the project**

1.	Category/Item No. (in schedule)	8(a): Group Housing project
2.	Name and Location of the project	AMBIKA HOMES, Site No.-2, IT City, Sector 66-Beta, S.A.S. Nagar (Mohali), Punjab
3.	Cost of the project	Rs. 225.67 Crores

4.	Total Plot area, Built-up Area and Green area	<p>The details of the area development project is as under:</p> <table border="1" data-bbox="776 353 1354 1108"> <thead> <tr> <th data-bbox="776 353 874 405">S. No.</th> <th data-bbox="874 353 1103 405">Description</th> <th data-bbox="1103 353 1354 405">Details</th> </tr> </thead> <tbody> <tr> <td data-bbox="776 405 874 495">1.</td> <td data-bbox="874 405 1103 495">Plot area</td> <td data-bbox="1103 405 1354 495">28,044.71 sq.m. (or 6.93 acres)</td> </tr> <tr> <td data-bbox="776 495 874 607">2.</td> <td data-bbox="874 495 1103 607">Built-up area</td> <td data-bbox="1103 495 1354 607">1,23,346.811 sq.m.</td> </tr> <tr> <td data-bbox="776 607 874 685">3.</td> <td data-bbox="874 607 1103 685">Residential complex</td> <td data-bbox="1103 607 1354 685">8 towers</td> </tr> <tr> <td data-bbox="776 685 874 730">4.</td> <td data-bbox="874 685 1103 730">Residential D.U.</td> <td data-bbox="1103 685 1354 730">604 D.U.</td> </tr> <tr> <td data-bbox="776 730 874 797">5.</td> <td data-bbox="874 730 1103 797">Total Water requirement</td> <td data-bbox="1103 730 1354 797">618 KLD</td> </tr> <tr> <td data-bbox="776 797 874 875">6.</td> <td data-bbox="874 797 1103 875">Total Wastewater</td> <td data-bbox="1103 797 1354 875">498 KLD</td> </tr> <tr> <td data-bbox="776 875 874 954">7.</td> <td data-bbox="874 875 1103 954">Solid waste Generated</td> <td data-bbox="1103 875 1354 954">1268 kg/day</td> </tr> <tr> <td data-bbox="776 954 874 1021">8.</td> <td data-bbox="874 954 1103 1021">Rain water Recharging Pits</td> <td data-bbox="1103 954 1354 1021">2 Pits</td> </tr> <tr> <td data-bbox="776 1021 874 1108">9.</td> <td data-bbox="874 1021 1103 1108">Parking Proposed</td> <td data-bbox="1103 1021 1354 1108">1039 ECS</td> </tr> </tbody> </table>	S. No.	Description	Details	1.	Plot area	28,044.71 sq.m. (or 6.93 acres)	2.	Built-up area	1,23,346.811 sq.m.	3.	Residential complex	8 towers	4.	Residential D.U.	604 D.U.	5.	Total Water requirement	618 KLD	6.	Total Wastewater	498 KLD	7.	Solid waste Generated	1268 kg/day	8.	Rain water Recharging Pits	2 Pits	9.	Parking Proposed	1039 ECS
S. No.	Description	Details																														
1.	Plot area	28,044.71 sq.m. (or 6.93 acres)																														
2.	Built-up area	1,23,346.811 sq.m.																														
3.	Residential complex	8 towers																														
4.	Residential D.U.	604 D.U.																														
5.	Total Water requirement	618 KLD																														
6.	Total Wastewater	498 KLD																														
7.	Solid waste Generated	1268 kg/day																														
8.	Rain water Recharging Pits	2 Pits																														
9.	Parking Proposed	1039 ECS																														
5.	Population	<p>(i) Residential population of 3,020 Persons. (ii) Commercial population of 300 Persons.</p>																														
6.	Water Requirements & source	<table border="1" data-bbox="733 1234 1329 1715"> <thead> <tr> <th data-bbox="733 1234 1016 1357"><b>Break up of water requirement</b></th> <th data-bbox="1016 1234 1329 1357"><b>Source</b></th> </tr> </thead> <tbody> <tr> <td data-bbox="733 1357 1016 1715">           Total: 669 KLD             Domestic: 618 KLD            Green Area: 51 KLD            Fresh: 477 KLD            Flushing: 141 KLD            Green Area            9240.64 sqm : 51 KLD         </td> <td data-bbox="1016 1357 1329 1715">           -             GMADA Supply            Treated waste water            Treated waste water         </td> </tr> </tbody> </table>	<b>Break up of water requirement</b>	<b>Source</b>	Total: 669 KLD  Domestic: 618 KLD Green Area: 51 KLD Fresh: 477 KLD Flushing: 141 KLD Green Area 9240.64 sqm : 51 KLD	-  GMADA Supply Treated waste water Treated waste water																										
<b>Break up of water requirement</b>	<b>Source</b>																															
Total: 669 KLD  Domestic: 618 KLD Green Area: 51 KLD Fresh: 477 KLD Flushing: 141 KLD Green Area 9240.64 sqm : 51 KLD	-  GMADA Supply Treated waste water Treated waste water																															
7.	Disposal Arrangement of Waste water	<p>Total = 498 KLD Waste water will be treated in the STP of GMADA. 141 KLD treated waste water will be used for flushing purposes.</p>																														

		<b>S.No.</b>	<b>Season</b>	<b>KLD in an area of 9240.64 sqm</b>	<b>GMADA SEWER KLD</b>
		1.	Summer	51	306
		2.	Winter	17	340
		3.	Rainy	5	352
8.	Rain water recharging detail	7 Nos. rainwater recharging bores will be provided for collection of rain water.			
9.	Solid waste generation and its disposal	<ul style="list-style-type: none"> <li>a) 1268 kg/day</li> <li>b) Solid wastes will be appropriately segregated (at source by providing bins) into Bio-degradable Components, and non bio-degradable and domestic hazardous waste.</li> <li>c) Garbage Chute will be provided for primary collection of solid waste.</li> <li>d) Mechanical composter of capacity 600 Kg per day will be provided for the Bio-degradable components.</li> <li>e) The recyclable waste will be sold to authorized recyclers.</li> <li>f) Inert waste will be dumped to authorized dumping site.</li> </ul>			
10	Hazardous Waste & E-Waste	<ul style="list-style-type: none"> <li>a. Used oil from DG sets will be sold to registered recyclers.</li> <li>b. E-waste will be managed through approved vendors and will be handled as per E-waste (Management) Amendment Rules, 2018</li> </ul>			
11.	Energy Requirements & Saving	<ul style="list-style-type: none"> <li>a) 7500 KVA from PSPCL.</li> <li>b) 96 KW power will be generated through solar panels proposed on the 1151 sqm rooftop area i.e. 30.05% of the total terrace area. LED Lamps will be used for 604 no. flats.</li> </ul>			
12.	Environment Management Plan along with Budgetary	Mr. Diwaker Bansal, Director of M/s. Ambika Realcon Pvt. Ltd. will be responsible for implementation of EMP for 5 years and after that the welfare society of "Ambika Homes" will be			

	break up phase wise and responsibility to implement	responsible for the same.												
		<table border="1"> <thead> <tr> <th>Description</th> <th>Capital Cost</th> <th>Recurring Cost (per annum)</th> </tr> </thead> <tbody> <tr> <td>Construction</td> <td>Rs. 181 lac</td> <td>Rs. 4.5 lac</td> </tr> <tr> <td>Operation</td> <td>-</td> <td>Rs. 7 lac</td> </tr> <tr> <td>Monitoring of Air, Noise water.</td> <td>-</td> <td>Rs. 1 lac (construction phase) Rs. 1 lac (operation phase)</td> </tr> </tbody> </table>	Description	Capital Cost	Recurring Cost (per annum)	Construction	Rs. 181 lac	Rs. 4.5 lac	Operation	-	Rs. 7 lac	Monitoring of Air, Noise water.	-	Rs. 1 lac (construction phase) Rs. 1 lac (operation phase)
Description	Capital Cost	Recurring Cost (per annum)												
Construction	Rs. 181 lac	Rs. 4.5 lac												
Operation	-	Rs. 7 lac												
Monitoring of Air, Noise water.	-	Rs. 1 lac (construction phase) Rs. 1 lac (operation phase)												
13.	CSR activities alongwith budgetary break up and responsibility to implement	<p>Mr. Diwaker Bansal, Director of M/s. Ambika Realcon Pvt. Ltd. will be responsible for implementation of CSR (Corporate Social Responsibility) for 5 years. the company will spend total Rs. 50 Lac on account of following CSR activities during the next 5 years i.e. within the construction of the project.</p> <p>a. An amount of Rs. 25 Lac will be deposited in Environment Protection Fund created by Punjab Pollution Control Board under Environmental Social Responsibility.</p> <p>b. Remaining amount of Rs. 25 Lac will be spent as under: -</p> <ol style="list-style-type: none"> <li>i. Sanitation- Proper sanitation especially for Girls shall be provided in nearby government schools.</li> <li>ii. Solar lighting- Some Solar lights shall be provided in nearby government schools.</li> <li>iii. Plantation- Some plantation shall be done in surrounding area for clean environment.</li> </ol>												

The SEAC, Punjab in its 164<sup>th</sup> meeting held on 10.04.2018 after due considerations of the relevant documents submitted, presentation given and additional clarifications / documents furnished by the project proponent to it has recommended the case for environmental clearance with certain stipulations The SEIAA, Punjab after considering the proposal and recommendations of the SEAC Punjab in its 131<sup>st</sup> meeting

held on 04.05.2018, hereby accord Environmental Clearance to the project as per the provisions of Environment Impact Assessment Notification 2006 and its subsequent amendments , subject to strict compliance of the terms and conditions as follows:-

**PART-A – Specific Conditions:**

**I. Pre-Construction Phase**

- (i) "Consent to establish" shall be obtained from Punjab Pollution Control Board under Air (Prevention & Control of Pollution) Act, 1981 and Water (Prevention & Control of Pollution) Act, 1974 and a copy of the same shall be submitted to the Ministry of Environment & Forests / State Level Environment Impact Assessment Authority before the start of any construction work at site.
- (ii) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (iii) The approval of competent authority shall be obtained for structural safety of the buildings due to earthquakes, adequacy of fire fighting equipments etc. as per National Building Code including protection measures from lightning.
- (iv) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, disposal of waste water & solid waste in an environmentally sound manner, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

**III. Construction Phase:**

- (i) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (ii) Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed off after taking the necessary precautions for general safety and health aspects of people with the approval of competent authority. The project proponent will comply with the provisions of Construction & Demolition Waste Rules, 2016. Dust, smoke & debris prevention measures such as wheel washing, screens, barricading and debris chute shall be installed at the site during construction including plastic / tarpaulin sheet covers for trucks bringing in sand & material at the site.
- (iii) Construction spoils, including bituminous material and other hazardous material,

must not be allowed to contaminate watercourses. The dump sites for such material must be secured, so that they should not leach into the groundwater.

- (iv) Vehicles hired for bringing construction material to the site and other machinery to be used during construction should be in good condition and should conform to applicable air emission standards.
- (v) The project proponent shall use only treated sewage/wastewater for construction activities and no fresh water for this purpose will be used. A proper record in this regard should be maintained and available at site.
- (vi) Fly ash based construction material should be used in the construction as per the provisions of Fly Ash Notification of September, 1999 and as amended on August, 2003 and notification No. S.O. 2804 (E) dated 03.11.2009.
- (vii) Water demand during construction should be reduced by use of ready mixed concrete, curing agents and other best practices.
- (viii) Adequate treatment facility for drinking water shall be provided, if required.
- (ix) The project proponent shall provide electromagnetic flow meter at the outlet of the water supply, outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for flushing and for horticulture purpose/green etc.
- (x) The project proponent will provide dual plumbing system for reuse of treated wastewater for flushing/ HVAC purposes etc. and colour coding of different pipe lines carrying water/wastewater/ treated wastewater as follows:
  - e. Fresh water : Blue
  - f. Untreated wastewater : Black
  - g. Treated wastewater : Green  
(for reuse)
  - h. Treated wastewater : Yellow  
(for discharge)
  - e. Storm water : Orange
- (xi) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

- (xii) Separation of drinking water supply and treated sewage supply should be done by the use of different colors.
- (xiii) **(a)** Adequate steps shall be taken to conserve energy by limiting the use of glass, provision of proper thermal insulation and taking measures as prescribed under the Energy Conservation Building Code and National Building Code, 2005 on Energy conservation.  
**(b)** Solar power plant by utilizing atleast 30% of the open roof top area in the premises shall be installed for utilizing maximum solar energy. Also, solar lights shall be provided as proposed for illumination of common areas instead of CFL lights or any other conventional light/bulbs.
- (xiv) The diesel generator sets to be used during construction phase should conform to the provisions of Diesel Generator Set Rules prescribed under the Environment (Protection) Act, 1986.
- (xv) Chute system, separate wet & dry bins at ground level and for common areas for facilitating segregation of waste, collection centre and mechanical composter (with a minimum capacity of 0.3kg/tenement/day) shall be provided for proper collection, handling, storage, segregation, treatment and disposal of solid waste.
- (xvi) A rainwater harvesting plan shall be designed where the re-charge bores (minimum one per 5000 sqm of built up area) shall be provided. Recharging wells for roof top run-off shall have provision of adequate treatment for removing suspended matter etc. before recharging as per the CGWA guidelines. Run-off from areas other than roof top such as green areas and roads/pavement etc. may also be recharged but only after providing adequate treatment to remove suspended matter, oil & grease etc. and ensuring that rainwater being recharged from these areas is not contaminated with pesticides, insecticides, chemical fertilizer etc.
- (xvii) The project proponent should fence the storage tank properly and in addition to this, the boundary wall shall be constructed at last stage or atleast 2 feet high opening in the boundary wall be provided at ground level to allow adequate passage to the surface run off during construction phase.
- (xviii) Green belt of adequate width as proposed shall be provided so as to achieve attenuation factor conforming to the day & night standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety. A minimum of one tree for every 80 sqm of land shall be planted and maintained. The existing trees may be counted for this purpose. Preference should be given

to planting native species. Where the trees need to be cut, compensatory plantation in the ratio of 1:3 (i.e. planting of three trees for every one tree that is cut) shall be done with the obligation to continue maintenance.

#### IV. Operation Phase and Entire Life

- i) "Consent to operate" shall be obtained from Punjab Pollution Control Board under Air (Prevention & Control of Pollution) Act, 1981 and Water (Prevention & Control of Pollution) Act, 1974 and a copy of the same shall be submitted to the Ministry of Environment & Forests / State Level Environment Impact Assessment Authority at the time of start of operation.
- ii) The total water requirement for the project will be 669 KLD KL/day, out of which 477 KLD (fresh water) shall be met through GMADA Supply and remaining 192 KLD through recycling of treated wastewater.
- iii) a) The total wastewater generation from the project will be 498 KL/day, which will be treated in a STP installed by GMADA. As proposed, reuse of treated wastewater and discharge of surplus treated wastewater shall be as below:

Season	Reuse for flushing (KLD)	For irrigation purposes (KLD) in an area on 9240.64 sqm	Discharge into sewer (KLD)
Summer	141	51	306
Winter	141	17	340
Rainy	141	05	352

- b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. Only, the surplus treated wastewater shall be discharged into sewer after maintaining the proper record.
- iv) The project proponent shall ensure safe drinking water supply to the habitants.
- v) The wastewater generated from swimming pool(s) shall not be discharged and the same shall be reused within the premises for purposes such as horticulture, HVAC etc.
- vi) A proper record regarding groundwater abstraction, water consumption, its reuse and disposal shall be maintained on daily basis and shall maintain a record of readings of each such meter on daily basis.
- vii) Rainwater harvesting/recharging systems shall be operated and maintained

properly as per CGWA guidelines.

- viii) The facilities provided for collection, segregation, handling, on site storage & processing of solid waste such as chute system, wet & dry bins, collection centre & mechanical composter etc. shall be properly maintained. The collected solid waste shall be segregated at site. The recyclable solid waste shall be sold out to the authorized vendors for which a written tie-up must be done with the authorized recyclers. Organic waste shall be composted by mechanical composters with a minimum capacity of 0.3kg/tenement/day and the inert solid waste shall be sent to the concerned collection centre of integrated municipal solid waste management facility of the area. A proper record in this regard shall be maintained.
- ix) Hazardous waste/E-waste should be disposed off as per Rules applicable and with the necessary approval of the Punjab Pollution Control Board.
- x) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- xi) The project proponent before allowing any occupancy shall obtain completion and occupancy certificate from the Competent Authority and submit a copy of the same to the SEIAA, Punjab.
- xii) The green belt along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use.
- xiii) Solar power plant and other solar energy related equipments shall be operated and maintained properly.
- xiv) A report on the energy conservation measures conforming to energy conservation norms should be prepared incorporating details about machinery of air conditioning, lifts, lighting, building materials, R & U Factors etc. and submitted to the respective Regional office of MoEF, the Zonal Office of CPCB and the SPCB/SEIAA in three months time.

#### **PART B – General Conditions :**

##### **I. Pre-Construction Phase**

- i) This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier.

- ii) The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Punjab Pollution Control Board. The advertisement should be made within seven days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office, Ministry of Environment & Forests, Chandigarh and SEIAA, Punjab.
- iii) The project proponent shall obtain permission from the CGWA for abstraction of groundwater & digging of borewell(s) and shall not abstract any groundwater without prior written permission of the CGWA, even if any borewell(s) exist at site.
- iv) The project proponent shall obtain CLU from the competent authority if applicable.
- v) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/ Municipal Corporation, Urban local body and the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

## **II. Construction Phase**

- i) The project proponent shall adhere to the commitments made in the Environment Management Plan for the construction phase and Corporate Social Responsibility and shall spend minimum amount of Rs. 181 Lacs towards capital investment, Rs. 5.5 Lacs towards recurring including monitoring expenditure and Rs. 50 Lacs towards CSR activities as proposed in addition to the amount to be spent under the provisions of the Companies Act 1956.

## **III. Operation Phase and Entire Life**

- i) **a)** The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of environmental management plan is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab. The project proponent shall spend minimum amount of Rs. 8 Lacs towards recurring including monitoring expenditure as proposed in the EMP.
- b)** The project proponent shall adhere to the commitments made in the proposal for CSR activities and shall spend a minimum amount of Rs. 50 Lacs towards following CSR activities:

- a. An amount of Rs. 25 Lac will be deposited in Environment Protection Fund created by Punjab Pollution Control Board under Environmental Social Responsibility.
  - b. Remaining amount of Rs. 25 Lac will be spent as under:-
    - i. Sanitation- Proper sanitation especially for Girls shall be provided in nearby government schools.
    - ii. Solar lighting- Some Solar lights shall be provided in nearby government schools.
    - iii. Plantation- Some plantation shall be done in surrounding area for clean environment.
- ii) The diesel generator sets to be provided shall conform to the provisions of Diesel Generator Set Rules prescribed under the Environment (Protection) Act, 1986. The exhaust pipe of DG set if installed must be minimum 10 m away from the building or in case it is less than 10 m away, the exhaust pipe shall be taken upto 3 m above the building.

**PART-C – Conditions common for all the three phases i.e. Pre-Construction Phase, Construction Phase and Operation Phase & Entire Life:**

- (i) Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- (ii) A first aid room will be provided in the project both during construction and operation phase of the project.
- (iii) Construction of the STP, solid waste, e-waste, hazardous waste, storage facilities tubewell, DG Sets, Utilities etc, earmarked by the project proponent on the layout plan, should be made in the earmarked area only. In any case the position/location of these utilities should not be changed later-on.
- (iv) The environmental safeguards contained in the application of the promoter / mentioned during the presentation before State Level Environment Impact Assessment Authority/State Expert Appraisal Committee should be implemented in letter and spirit.
- (v) Ambient air & noise levels should conform to prescribed standards both during day and night. Incremental pollution loads on the ambient air quality, noise especially during worst noise generating activities, water quality and soil should be periodically monitored during construction phase as well as operation & entire life phase as per the MoEF&CC guidelines and all the mitigation measures should

be taken to bring down the levels within the prescribed standards.

- (vi) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest (Conservation) Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, by project proponents from the competent authorities including Punjab Pollution Control Board and from other statutory bodies as applicable. The project proponent shall also obtain permission from the NBWL, if applicable.
- (vii) The State Environment Impact Assessment Authority, Punjab reserves the right to add additional safeguards/ measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguards/ measures in a time bound and satisfactory manner.
- (viii) A proper record showing compliance of all the conditions of environmental clearance shall be maintained and made available at site at all the times.
- (ix) The project proponent shall also submit half yearly compliance reports in respect of the stipulated prior environmental clearance terms & conditions including results of monitored data (both in hard & soft copies) to the respective Regional office of MoEF, the Zonal Office of CPCB, the SPCB and SEIAA, Punjab on 1<sup>st</sup> June and 1<sup>st</sup> December of each calendar year.
- (x) Officials from the Regional Office of Ministry of Environment & Forests, Chandigarh / State Level Environment Impact Assessment Authority / State Level Expert Appraisal Committee / Punjab Pollution Control Board who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to State Environment Impact Assessment Authority should be forwarded to the APCCF, Regional Office of Ministry of Environment & Forests, Chandigarh.
- (xi) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by State Environment Impact Assessment Authority, Punjab.
- (xii) Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project and decisions of any

Competent Court, to the extent applicable.

- (xiii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, SEIAA, Punjab the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels for all the parameters of NAAQM standards shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xiv) The inlet and outlet point of natural drain system should be maintained with adequate size of channel for ensuring unrestricted flow of water. The unpaved area shall be more than or equal to 20% of the recreational open spaces.
- (xv) Environmental Management Cell shall be formed during operation phase which will supervise and monitor the environment related aspects of the project.
- (xvi) The plantation should be provided as per SEIAA guidelines and as per notification dated 09.12.2016 issued by MoEF&CC, New Delhi.
- (xvii) The project proponent shall not use any chemical fertilizer /pesticides /insecticides and shall use only Herbal pesticides/insecticides and organic manure in the green area.

Sd/-

**Endst. No.SEIAA/Pb/2018/689-696**

**Member Secretary  
Dated 24.05.2018**

A copy of the above is forwarded to the following for information & further necessary action please.

1. The Secretary to Govt. of India, Ministry of Environment, Forest & Climate Change, Indira Paryavaran Bhawan, Jorbagh Road, New Delhi - 110 003.
2. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi.
3. The Chairman, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala.
4. The Chairman, Punjab State Power Corporation Ltd, the Mall, Patiala.
5. The Deputy Commissioner, SAS Nagar (Mohali).

6. The Additional Principal Conservator of Forests (C), Ministry of Environment, Forest & Climate Change, Northern Regional Office, Bays No.24-25, Sector-31-A, Chandigarh. The detail of the authorized Officer of the project proponent is as under:
- a) Name of the applicant : Sh. Harsh Bhargav, Vice President
  - b) Contact no. : 9855128694
  - c) E-mail ID : harshbhargav@teamambika.com
7. The Chief Town Planner, Department of Town & Country Planning, 6<sup>th</sup> Floor, PUDA Bhawan, Phase-8, Mohali
8. The Monitoring Cell, Ministry of Environment, Forest & Climate Change, Indira Paryavaran Bhawan, Jorbagh Road, New Delhi - 110003.

Sd/-

**Member Secretary**

Ambika Homes


**STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY PUNJAB**

Ministry of Environment and Forests, Government of India

O/O Punjab Pollution Control Board,

Vatavaran Bhawan, Nabha Road,

Patiala - 147 001

Telefax:- 0175-2215636

**No. SEIAA/2018/1493**
**REGISTERED**
**Dated: 3.12.18**

To

M/s Ambika Realcon Developers Private Ltd.,  
 House No. 136, 3<sup>rd</sup> Floor, Pocket-1,  
 Apolo Hospital, Jasola,  
 New Delhi-110025.

**Subject: Transfer of environmental clearance granted under EIA notification dated 14.09.2006 to M/s Ambika Realcon Pvt Ltd., SCO 64-65, 2nd Floor, Sector 17 A, Chandigarh for establishment of group housing project namely "Ambika Homes" located at Site No. 2, IT City, Sector 66-Beta, S.A.S. Nagar (Mohali), Punjab in the name of M/s Ambika Realcon Developers Private Limited.**

This has reference to your office letter No. Nil dated 24.09.2018, on the subject cited above.

As decided by the SEIAA in its 138<sup>th</sup> meeting held on 15.10.2018, the environmental clearance granted to M/s Ambika Realcon Pvt Ltd., SCO 64-65, 2<sup>nd</sup> Floor, Sector 17 A, Chandigarh, by the SEIAA, Punjab vide letter No. SEIAA/2018/688 dated 24.05.2018 for establishment of group housing project namely "Ambika Homes" located at Site No. 2, IT City, Sector 66-Beta, S.A.S. Nagar (Mohali), Punjab, is hereby, transferred in the name of M/s Ambika Realcon Developers Private Limited, subject to the same conditions as mentioned in the aforesaid environmental clearance.

This letter must remain appended with the original letter no. SEIAA/2018/688 dated 24.05.2018 vide which environmental clearance has been granted to M/s Ambika Realcon Pvt Ltd., SCO 64-65, 2nd Floor, Sector 17 A, Chandigarh.

*[Signature]*  
 Member Secretary

**Endst. No. SEIAA/2018/**
**Dated**

A copy of the above is forwarded to the following for information & further necessary action please.

1. The Secretary to Govt. of India, Ministry of Environment, Forest & Climate Change, Indira Paryavaran Bhawan, Jorbagh Road, New Delhi - 110 003.
2. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi.
3. The Chairman, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala.
4. The Chairman, Punjab State Power Corporation Ltd, the Mall, Patiala.
5. The Deputy Commissioner, SAS Nagar (Mohali).

6. The Additional Principal Conservator of Forests (C), Ministry of Environment, Forest & Climate Change, Northern Regional Office, Bays No.24-25, Sector-31-A, Chandigarh. The detail of the authorized Officer of the project proponent is as under:
- a) Name of the applicant : Sh. Diwaker Bansal, Director
  - b) Contact no. : 0172-500110
  - c) E-mail ID : care@teamambika.com
7. The Chief Town Planner, Department of Town & Country Planning, 6<sup>th</sup> Floor, PUDA Bhawan, Phase-8, Mohali
8. The Monitoring Cell, Ministry of Environment, Forest & Climate Change, Indira Paryavaran Bhawan, Jorbagh Road, New Delhi - 110003.
9. M/s Ambika Realcon Pvt Ltd., SCO 64-65, 2nd Floor, Sector 17 A, Chandigarh.

*Sa-*  
Member Secretary